

alurays lighting technology GmbH

Bespoke Lighting

Illumination lots on their
Needs made.

Taylor-made in Germany
MaBSchneidert in Germany

We are a highly specialized supplier
of light-losses in the internal application
and in the outdoor area.

The competent team offers profound
knowledge in the field of light control,
elektronischem Schaltungs-know-how,



mechanical robustness, toolless

Assembly and customized light distribution,

um in dialogue with light planners, architects

and partner of the electrical trade

unique and reliable light-losses
to generate.



alurays_
LIGHTING TECHNOLOGY

Variable Möglichkeiten

- Indoor + Outdoor -

nach Kundenspezifikation


ALU - Standard profiles, anodized, lacquered
Various sizes, widths, etc. 15 mm - 80 mm
and according to customer requirements

LED's in the standard and individually in the
alurays LED design - also as RGB-W
switchable, dimmable - from DMX to DALI

LED, medium, carrying and cable channel profiles
for different total heights and
combinable with various operating rates

Covers clear, opal, smoke, partly
For optical film
or prepared for micro-prismatic optics

Casting technology for homogeneous
LED light line characteristics, for optical
Lenses and for light-technology reflectors



Viessmann Mitarbeiterrestaurant Allendorf

Outdoor

Akzentuierung Vordach

with LED light line and lens optics

(vergossen, IP67)

for a homogeneous illumination

Lichtplaner

Luxwelt e. K.

Architekt

Blocher Partners

Elektroplaner

RSE Planungsgesellschaft mbH

Joachim Grothus photography



Joachim GrothusFotografie/RSE Planungsgesellschaft mbH

Viessmann Mitarbeiterrestaurant Allendorf

Outdoor

Akzentuierung Vordach

with LED light line and lens optics

(vergossen, IP67)

for a homogeneous illumination

Lichtplaner

Luxwelt e. K.

Architekt

Blocher Partners

Elektroplaner

RSE Planungsgesellschaft mbH

Joachim Grothus photography



Joachim Grothus Fotografie / RSE Planungsgesellschaft mbH

River Island

New Castle, United Kingdom

LED-Wandeinbau-Lichtliniensystem
and
LED-Bodeneinbau-Lichtliniensystem
for accentuation entrance portal
and customer transport

Kundenorientierte Lichtlösung
Profile width 15 mm
Profile width 20 mm

Lichtplaner
Prolight Ltd.



River Island

New Castle, United Kingdom

LED-Pendel-Lichtliniensystem
with homogeneous light characteristics

Profile width 25 mm
in system configuration after
Kundenanforderung

With system components such as
L-, T- and X-connectors and
Reutlinger rope system suspension

Light ceiling and wall system according to
Kundenvorgabe

Lichtplaner
Prolight Ltd.



Men's Arch Manchester Trafford

LED-Einbau-Lichtliniensystem

Covered and frameless with
homogener Lichtcharakteristik
Profile width 40 mm

Lichtplaner
Prolight Ltd.



Privathaus München

LED-Einbau-Lichtliniensystem

Voutenbeleuchtung

Ceiling and floor installation system

homogener Lichtcharakteristik

Profile width 20 mm



Max Franke GmbH

Outdoor

LED-Einbau-Lichtliniensystem

Wall-mounted integrated in facade joint

Cast LED light line, IP67
with external operating equipment,
schaltbar

Monochrome according to customer
specification



adidas Kantine Herzogenaurach

LED light lines and
LED-Pendellichtlinien

Arrangements according to customer specification
position and optionally according to
Customer specification in various
Lengths manufactured

Light colour 3.000 K

Beleuchtungsniveau mittels
Tageslichtsensor gesteuert

Elektroinstallation
SAT Elektrotechnik GmbH
Nürnberg



Mensa TUM, Garching

Fantomas won the competition for the Design of the food control system in the Mensa-Neubau der TU Munich am Standort Garching.

For the food control system, special developed, individually playable LED Tapes installed. Digital steles and of Monitors suspended from the ceiling inform the daily over 5000 guests.
The overall system is harmoniously integrated into
==References==External links==

Designbüro
fantomas Design GmbH & Co. KG
München

Architekten
meck architekten GmbH
München



FuBängerbrücke recreation park
Bad Wiessee

Outdoor

Indirect accentuation of water,
Planting and sculptures
sowie Sitzgelegenheiten

LED light lines with homogenous
Lichtcharakteristik

Cast alurays LED strips in
Aluminium profiles with external
Operating rates according to planner's specification
Schutzart IP67



Leuchtenberg - am Laim München


Outdoor

LED-Fassadenkanten-Akzentuierung
of the facade elements

Integrated LED lights in special masses
in accordance with technical requirements and in
Coordination with lighting planner, architect and
Bauherr

Light colour 3.000 K

Lichtplaner
DPA, London
DP ARCHITECTS PTE LTD




BABOR Headquarter Aachen

LED light line made according to the
Requirements lighting planner, architect and
Client for project lamella ceiling
Diffuse light characteristics 270°

Bauherr
BARBOR, Aachen

Lichtplanung
DSTR, Aachen

Architekt
Architects I K2 GmbH, Aachen



Hausvogteiplatz „Klavierfassade“ Berlin

Outdoor

LED Claved Keyboard by means of "Light Rays"
in the facade

512 DMX addresses individually controllable
and individually dimmable

RBG-W accentuating roof surface
and LED wall installation structure

Lichtplaner

SPG Schattenplaner GmbH & Co.KG
München

Bauherr
tewag GmbH
Regensburg



Upper West "KuFuDa 11" Berlin

Outdoor

LED recessed light line with
homogener Lichtcharakteristik
nach Kundenvorgabe

Hervorhebung
and
Akzentuierung Eingangsbereich

LED-Lichtlinie, IP67
Light colour 2.700 K

Lichtplaner
Kardorff, Berlin



ZOB Weilheim

Outdoor

In Weilheim, Upper Bavaria, the
Central bus station in the

==References==

Weilheim station is a major railway station in Weilheim, Germany.
Transport hub in the Oberland.

The environment has so far been less welcoming.
But now the area is upgraded -
optical and functional.

The cost of the project is:
currently to 7.7 million euros.

It is the first of a total of three
Construction phases at the station.



@ Ralf Ruder

ZOB Weilheim

Outdoor

LED backlighting of the roof border

Bauherr

City of Weilheim in Upper Bavaria

Exporting company

Glasbau Gipser GmbH, Halle

Planungspartner

ATELIER PK ARCHITECTEN, Berlin

Landschaftsplaner

bbz landscape architects, Berlin

Lichtplanung

architekturimlicht, Berlin



@ Ralf Ruder

Etihad Arena (YAS Arena)

Abu Dhabi, UAE

Outdoor, project currently in exportation"

Miral Asset Management has
BAM International with the construction of Etihad
Arena beauftragt.

The arena was designed by HoK (planning,
Architectural, engineering and planning bureau)
with support from Pascall+Watson
entworfen.

Photographic companies involved:

@ 2000-2020 HOK Group, Inc.

<https://www.hok.com/projects/view/etihad-arena/>

© BAM International

<https://www.baminternational.com/en/projects/etihad-arena-abu->

1 DNEC Ingenieurburo

<https://dneccom/portfolio-item/yas-arena/>



Etihad Arena (YAS Arena)

Abu Dhabi, UAE

Outdoor, project currently in exportation?

Miral Asset Management has
BAM International with the construction of Etihad
Arena beauftragt.

The arena was designed by HoK (planning,
Architectural, engineering and planning bureau)
with support from Pascall+Watson
entworfen.

Fotografie beteiligte Firmen:

1 2000-2020 HOK Group, Inc.


<https://www.hok.com/projects/view/etihad-arena/>

© BAM International

<https://www.baminternational.com/en/projects/etihad-arena-abu->


1 DNEC Ingenieurburo

<https://dneccom/portfolio-item/yas-arena/>



Etihad Arena (YAS Arena)

Test lighting January 2021



Rathaus Vorplatz Herbrechtingen

Outdoor

LED-Bodeneinbaulichtlinien
for accentuation

Homogene Lichtcharakteristik
Vergossene LED-Bodenlichtprofile
Schutzart IP67

Fachplaner
Wiederkehr Landschaftsarchitekten
Nürtingen



Bild: Rudolf Stehle



Rathaus Vorplatz Herbrechtingen

Outdoor

LED-Bodeneinbaulichtlinien
for accentuation

Homogene Lichtcharakteristik
Vergossene LED-Bodenlichtprofile
Schutzart IP67

Fachplaner
Wiederkehr Landschaftsarchitekten
Nürtingen



Gate Mall Doha, Katar

Outdoor

LED line accentuation and
RGB-Farbanimation
nach Kundenvorgabe

DMX-Steuerung
individually adjustable and dimmable






Gate Mall Doha, Katar

Outdoor

LED line accentuation and
RGB-Farbanimation
nach Kundenvorgabe

DMX-Steuerung
individually adjustable and dimmable




Church of St. Margareten
Mietenkam

Outdoor

LED line feed at roof substands

accentuating facade and tree planting

LED light line, homogeneous and
LED-Linsenoptik
(vergossen, IP67)



QGym Elite

high-end gym and fitness facility

Doha, Qatar

LED line structures with
RGB colour animation according to customer specifications

DMX-Steuerung
individually adjustable and dimmable

LED pendant lamps and
Wall mounted luminaires in rustic
Arrangement and massive installation



QGym Elite


high-end gym and fitness facility

Doha, Qatar

LED line structures with
RGB colour animation according to customer specifications

DMX-Steuerung
individually adjustable and dimmable

LED pendant lamps and
Wall mounted luminaires in rustic
Arrangement and massive installation



Zahnarztpraxis, Stuttgart

LED-System

Honeycomb structure according to individual
Kundenvorgabe

LED-4-fach-Sechseck-Deckenanbauleuchte

ALU profile 50 mm

Gehrungsfertigung


Maße approx. 900 mm / hexagon

Light colour 4.000 K / CRI >90

Light output approx. 2.000 lm/m

Power approx. 30 W/m

House lacquered RAL 9003 signal white



Balanstraße, München

Outdoor

LED linear façade lamp
Homogene Lichtcharakteristik

LED light profile AAS2 (B15 x H20mm)
Alu profile silver anodized IP67
LED DC24V 3000K 10W/m
Light colour 3.000 K
IP67 connection cable MALE 2-pin approx. 20cm
for connecting to miniature FEMALE
Steckverbinder


Elektroinstallation
Bauer Elektroanlagen, Buchbach

Lichtplaner
DPA, London
DP ARCHITECTS PTE LTD



Balenciaga Shop Mailand, Italien

Cristobal Balenciaga takes part in the History of haute couture special place. Christian Dior once referred to him as "the master of We all", and undoubtedly the Spanish designer a master of Silhouette, the construction and the Wrinkle throw. The conical elegance of his Clothing determined his epoch, and it is no coincidence that in 1968 he had his studio-Türen closed when the changing The customs and styles of the time the new Pret-à-porter-System einführten.



Balenciaga Shop Changsha, China

LED-Kunstlichtdeckencluster
LED-Pendel-Lichtliniensystem
each with homogenous light characteristics

Pendulum profile with luminaire width 25 mm
in system configuration with integrated
Ceiling system according to customer requirements

Design

Architecture Studio sub
Niklas Bildstein Zaar and Andrea Faraguna



W-Hotel Dubai, VAE

LED recessed light lines with
homogener Lichtcharakteristik
nach Kundenvorgabe

LED-Boden
LED-Wand
LED-Decken

LED installation system according to customer specifications
Frameless and bodyless installation

Lokaler Partner
Decolight Trading Co. LLC

Designstudio - Architecture lighting
WGC International Jay Tan



W-Hotel Dubai, VAE


LED recessed light lines with
homogener Lichtcharakteristik
nach Kundenvorgabe

LED-Boden
LED-Wand
LED-Decken


LED installation system according to customer specifications
Frameless and bodyless installation

Lokaler Partner
Decolight Trading Co. LLC

Designstudio - Architecture lighting
WGC International Jay Tan



alurays_
LIGHTING TECHNOLOGY



Jumeirah Art Center

Dubai, VAE

Outdoor

LED-Fassadenwallwashing

Similar lighting

the facade according to

Customer specification and coordination architect

LED strip light with extremely narrow beam

Lichtkegel



Jumeirah Art Center

Dubai, VAE

Outdoor

LED-Stufenakzentuierung

Gleichmäßige Indirektbeleuchtung
of the stairwell boards
nach

Customer specification and coordination architect

LED light line with homogenous
Lichtcharakteristik



Marquardt GmbH Rietheim-Weilheim

- internal -

Neubau

Development and Innovation Centre

LED DMX light ring in combination with
Durlum Deckensystem

RGB-W colour control individually

Architekt

PLAN FORWARD GmbH, Stuttgart

Fachplaner TGA

SCHNEPF Energy Technology Planning Group,
Nagold



Marquardt GmbH Rietheim-Weilheim

- internal -

Neubau

Development and Innovation Centre

LED DMX light ring in combination with
Durlum Deckensystem

RGB-W colour control individually

Architekt

PLAN FORWARD GmbH, Stuttgart

Fachplaner TGA

SCHNEPF Energy Technology Planning Group,
Nagold



Robatherm Hauptverwaltung Jettingen-Scheppach

- internal -

LED light lines integrated in catering
Küchensystem

3D structure maBrecht manufactured and
eingearbeitet

Lichtplaner

Luxwelt e. K.

Architekt

Henn GmbH, Munich

Fachplaner TGA

Conplaning, Ulm

SCHNEPF Energy Technology Planning Group

