



ALURAYS LIGHTING TECHNOLOGY GMBH

We are a highly specialised supplier of
Light losses in the indoor application and in the
Außenbereich.

The competent team offers profound knowledge on
the area of light control;
electronic circuit know-how, mechanical
Robustness, toolless assembly and adapted
Light distribution, in dialogue with light planners,
Architects and partners of the electrical trade
unique and reliable light-losses to
generieren.



VARIABLE MÖGLICHKEITEN

- INDOOR + OUTDOOR -

NACH KUNDENSPEZIFIKATION





ALU - Standard profiles, anodized, lacquered
Various MaBe, widths among others 15 mm - 80 mm and after
Kundenanforderung

LED's in the standard and individually in the alurays LED
Design-also as RGB-W
switchable, dimmable - from DMX to DALI

LED, medium, carrying and cable channel profiles for
different overall heights; and
combinable with various operating rates

Covers clear, opal, smoke, partly
For optical film
or prepared for use in micro-prismatic optics

Casting technology for homogeneous
LED light line characteristic, for optical lenses
and for light-technology reflectors



VISSMANN MITARBEITERRESTAURANT ALLENDORF

Outdoor

Akzentuierung Vordach
with LED light line and lens optics
(vergossen, IP67)
for a homogeneous illumination

Lichtplaner
Luxwelt e. K.

Architekt
Blocher Partners

Elektroplaner
RSE Planungsgesellschaft mbH

Joachim Grothus photography



Joachim GrothusFotografie/RSE Planungsgesellschaft

VISSMANN MITARBEITERRESTAURANT ALLENDORF

Outdoor

Akzentuierung Vordach

with LED light line and lens optics

(vergossen, IP67)

for a homogeneous illumination

Lichtplaner

Luxwelt e. K.

Architekt

Blocher Partners

Elektroplaner

RSE Planungsgesellschaft mbH

Joachim Grothus photography



**RIVER ISLAND
NEW CASTLE
UNITED KINGDOM**

LED-Wandeinbau-Lichtliniensystem
and
LED-Bodeneinbau-Lichtliniensystem
for accentuation entrance portal
and customer transpo

Kundenorientierte Lichtlösung
Profilbreite 15 mm
Profile width 20 mm

Lichtplaner
Prolight Ltd.



RIVER ISLAND NEW CASTLE UNITED KINGDOM

LED-Pendel-Lichtliniensystem
with homogeneous light characteristics

Profilbreite 25 mm
in system configuration after
Kundenanforderung

Mit Systemkomponenten wie
L-, T- and X-connectors and
Reutlinger Seilsystemabhangung

Light ceiling and wall system according to
Kundenvorgabe

Lichtplaner
Prolight Ltd.



MAN'S ARCH MANCHESTER TRAFFORD

LED-Einbau-Lichtliniensystem

Covered and frameless with
homogener Lichtcharakteristik
Profilbreite 40 mm

Lichtplaner
Prolight Ltd.



PRIVATHAUS MÜNCHEN

LED-Einbau-Lichtliniensystem

Voutenbeleuchtung

Ceiling and floor installation system
homogener Lichtcharakteristik
Profilbreite 20 mm



MAX FRANCE GMBH

Outdoor

LED-Einbau-Lichtliniensystem

Wall-mounted integrated in facade joint
Vergossene LED-Lichtlinie, IP67
with external operating rates,
schaltbar
Monochrome according to customer spe



ADIDAS KANTINE HERZOGENAURACH

LED light lines and
LED-Pendellichtlinien

Arrangements according to customer specification
position and optionally according to
Customer specification in various
Längen gefertigt

Lichtfarbe 3.000 K

Beleuchtungsniveau mittels
Tageslichtsensor gesteuert

Elektroinstallation
SAT Elektrotechnik GmbH
Nürnberg



MENSA TOM, GARCHING

Fantomas won the competition for the
Gestaltung des Speiseleitsystems im
Mensa-Neubau der TU Munich am
Standort Garching.

For the food control system, special
developed, individually playable LED
Bänder installiert. Digitale Stelen und von
Monitors suspended from the ceiling
inform the daily 5000 guests.

The whole system is harmonious
==References====External links==

Designbüro
fantomas Design GmbH & Co.KG
München

Architekten
meck architekten GmbH
München



FUßGÄNGERBRÜCKE ERHOLUNGSPARK BAD WIESSEE

Outdoor

Indirect accentuation Water, planting and
Skulpturen
sowie Sitzgelegenheiten

LED light lines with homogeneous light characteristics

Cast alurays LED strips in aluminium
Profiles with external operating rates according to
Planervorgabe
Schutzart IP67



Leuchtenberg - am Laim
München

Outdoor

LED-Fassadenkanten-Akzentuierung
der Fassadenelemente

Integrated LED lights in
Special masses according to technical requirements and in coordination with:
Light planner, architect and builder

Light colour 3.000 K

Lichtplaner
DPA, London
DP ARCHITECTS PTE LTD




BABOR Headquarter Aachen

LED light line made according to the
Requirements lighting planner, architect and
Bauherr für Projektlamellendecke
Diffuse light characteristics 270°

Bauherr
BARBOR, Aachen

Lichtplanung
DSTR, Aachen

Architekt
Architekten-K2 GmbH, Aachen



HAUSVOGTEIPLATZ „KLAVIERFASSADE“ BERLIN

Outdoor

LED-Klaviertastatur mittels
„Lichtstrahlen“

in the facade

512 DMX Adressen individuell
ansteuerbar

and individually dimmable

RBG-W accentuating roof surface
and LED wall installation structure

Lichtplaner

SPG Schattenplaner GmbH & Co.KG
München

Bauherr
tewag GmbH
Regensburg



UPPER WEST "KUFUDA 11"
BERLIN

Outdoor

LED recessed light line with
homogener Lichtcharakteristik
nach Kundenvorgabe

Hervorhebung
and
Akzentuierung Eingangsbereich

LED-Lichtlinie, IP67
Light colour 2.700 K

Lichtplaner
Kardorff, Berlin



ZOB WEILHEIM

Outdoor

In Weilheim, Upper Bavaria, the
Zentrale Omnibus-Bahnhof im
==References==

The Bahnhof Weilheim is a railway station
Germany transport hub in the
Oberland.

The environment has so far been less welcoming.
But now the area is upgraded -
optical and functional.

The cost of the project is:
currently to 7.7 million euros.

It is the first of a total of three
Bauabschnitten am Bahnhof.



ZOB WEILHEIM

Outdoor

LED backlighting of the roof border

Bauherr

CityWeilheim in Upper Bavaria

Exporting company

Glasbau Gipser GmbH, Halle

Planungspartner

ATELIER PK ARCHITECTEN, Berlin

Landschaftsplaner

bbz landschaftsarchitekten, Berlin

Lichtplanung

architekturimlicht, Berlin



@ Ralf
Ruder

Etihad Arena (YAS Arena)

Abu Dhabi, UAE

Outdoor, project currently in export"

Miral Asset Management has
BAM International mit dem Bau der Etihad Arena
beauftragt.

The arena was designed by HOK (plan
Architectural, engineering and planning bureau) with
Unterstützung von Pascall+Watson entworfen.

2000-2020 HOK Group, Inc.

© BAM International

<https://www.baminternational.com/en/projects/etihad-arena-abu-dhabi?position=5&list=mqltXGPPuSMd3OnFMjK4xHofO9nMh>

© DNEC Ingenieurbüro

<https://dnec.com/portfolio-item/yas-arena/>



ETIHAD ARENA (YAS ARENA)

ABU DHABI, UAE

Outdoor, project currently in exportation"

Miral Asset Management has
BAM International mit dem Bau der
Etihad Arena commissioned.
The arena was designed by HOK (plannir
Architecture,engineering and
(b) with the support of:
Pascall+Watson entworfen.

PHOTOGRAPHY PARTICIPANTS

© 2000-2020 HOK GROUP, INC.
[HTTPS://WWW_ HOK COM/PROJECTS/VIEW](https://www.hok.com/projects/view)

[HTTPS://WWW_ BAMINTERNATIONAL COM/EN/PROJECTS
D HAB1?P0S1T10 N =5& L1ST = MQ1T XG PPUSMD30 ME1](https://www.baminternational.com/en/projects/dhab1?P0S1T10N=5&L1ST=MQ1TXGPPUSMD30ME1)


[HTTPS://DNEC. COM/PORTFOLIO -1TEM/YAS](https://dneec.com/portfolio-1item/yas)



26/06/19

ETIHAD ARENA (YAS ARENA)

PROBEBELEUCHTUNG JANUAR 2021



RATHAUS VORPLATZ HERBRECHTINGEN

Outdoor

LED-Bodeneinbaulichtlinien
for accentuation

Homogene Lichtcharakteristik
Vergossene LED-Bodenlichtprofile
Schutzart IP67

Fachplaner
Wiederkehr Landschaftsarchitekten
Nürtingen



Bild: Rudolf Stehle

Rathaus Vorplatz Herbrechtingen

Outdoor

LED-Bodeneinbaulichtlinien
for accentuation

Homogene Lichtcharakteristik
Vergossene LED-Bodenlichtprofile
Schutzart IP67

Fachplaner
Wiederkehr Landschaftsarchitekten
Nürtingen



GATE MALL DOHA, KATAR

Outdoor

LED line accentuation and
RGB-Farbanimation
nach Kundenvorgabe

DMX-Steuerung
individually adjustable and dimmable




**Gate Mall
Doha, Katar**

Outdoor

LED line accentuation and
RGB-Farbanimation
nach Kundenvorgabe

DMX-Steuerung
individually adjustable and dimmable




KIRCHE ST. MARGARETEN MIETENKAM

Outdoor

LED line feed on roof cover

Akzentuierung Fassade und
Baumpflanzung

LED light line, homogeneous and
LED-Linsenoptik
(vergossen, IP67)



QGym Elite

high-end gym and fitness facility

Doha, Qatar

LED line structures with
RGB colour animation according to customer

DMX-Steuerung
individually adjustable and dimmable

LED pendant lamps and wall mounted luminaires
in rustikaler Anordnung und massiver Installation



QGYM ELITE
HIGH-END GYM AND
FITNESS FACILITY
DOHA, QATAR

LED line structures with
RGB colour animation according to customer specific

DMX-Steuerung
individuell einstellbar und dimmbar

LED pendant lamps and
Wandeinbauleuchten in rustikaler
Arrangement and massive installation



ZAHNARZTPRAXIS, STUTTGART

LED-System

Honeycomb structure according to individual
Kundenvorgabe

LED-4-fach-Sechseck-
Deckenanbauleuchte

ALU profile 50 mm

Gehrungsfertigung

Maße approx. 900 mm / hexagon

Light colour 4.000 K / CRI >90

Light output approx. 2.000 lm/m

Power approx. 30 w/m

Home-painted RAL 9003 Signalweiß



BALANSTRASSE, MÜNCHEN

Outdoor

LED lineare Fassadenleuchte
Homogene Lichtcharakteristik

LED light profile AAS2(B15 × H20mm)

Alu profile silver anodized IP67

LED DC24V 3000K 10W/m

Lichtfarbe 3.000 K

IP67 connection cable MALE 2-pin approx.

20cm for connecting to miniature

FEMALE Steckverbinder

Elektroinstallation

Bauer Elektroanlagen, Buchbach

Lichtplaner

DPA, London

DP ARCHITECTS PTE LTD



BALENCIAGA SHOP MAILAND, ITALIEN

Cristobal Balenciaga takes part in the History of haute coutures special place. Christian Dior once referred to as "the master" von uns allen", und zweifellos war der Spanish designer a master of Silhouette, the construction and the Wrinkle throw. The conical elegance his clothing determined his epoch, and it is no coincidence that in 1968 he Atelier-Turen closed when the changing uses and styles of Time the new Pret-a-porter system einführten.



BALENCIAGA SHOP CHANGSHA, CHINA

LED-Kunstlichtdeckencluster
LED-Pendel-Lichtliniensystem
each with homogenous light characteristics

Pendulum profile with luminaire width 25 mm
in system configuration with integrated
Ceiling system according to customer requirement

Design
Architecture Studio sub
Niklas Bildstein Zaar and Andrea
Faraguna



W-HOTEL DUBAI, VAE

LED recessed light lines with
homogener Lichtcharakteristik
nach Kundenvorgabe

LED-Boden
LED-Wand
LED-Decken

LED installation system according to customer spe
Frameless and bodyless installation

Lokaler Partner
Decolight Trading Co. LLC

Designstudio - Architecture lighting
WGC International Jay Tan



W-HOTEL DUBAI, VAE


LED recessed light lines with
homogener Lichtcharakteristik
nach Kundenvorgabe

LED-Boden
LED-Wand
LED-Decken

LED installation system according to customer spe
Frameless and bodyless installation

Lokaler Partner
Decolight Trading Co. LLC

Designstudio - Architecture lighting
WGC International Jay Tan



JUMEIRAH ART CENTER DUBAI, VAE

Outdoor

LED-Fassadenwallwashing

Similar lighting

the facade according to

Customer specification and coordina

LED striped light with extreme
engstrahlendem Lichtkegel



JUMEIRAH ART CENTER

DUBAI, VAE

Outdoor

LED-Stufenakzentuierung

Gleichmäßige Indirektbeleuchtung
of the stairway board
nach

Customer specification and coordinati

LED light line with homogenous
Lichtcharakteristik



alurays_
lighting technology
